

CATALOGUE 2021/2022

HYGIENE & HAND PROTECTION EXPERTS

OUR WELL-KNOWN BRANDS

THE STRENGTH OF THE EXPERIENCE



Spontex Professional's expertise covers not only the production of cellulose sponge products, but also the manufacture of wiping products, abrasives and nonwoven textiles. In order to meet the needs of professionals we have developed a range of technical products which deliver increased efficiency and productivity, storage issue solutions and ergonomic cleaning.



Mapa Professional is committed to offering companies innovative solutions for protecting the hands which meet users needs.

We centre our brand around the health and safety of users at their workplace.

Our offer meets requirements for comfort and protection for risks in the professionnal environment.

HAND PROTECTION **BEYOND THE GLOVE**

We have a team dedicated to understanding the needs of our users. Designing solutions for applications for a wide variety of industries.



1 Customer Engineering Departments stc.mapaspontex@newellco.com



2 R&D Centres







In-house production (3 factories worldwide)



1 Application laboratory

Exclusive testing at our in-house laboratory, where we go above and beyond standard regulatory testing to reproduce real life, in-house working conditions. Focusing on grip, durability, dexterity, thermal and breathability.

SYMBOL GUIDE





OFFICES & INSTITUTIONS



HORECA



MANUFACTURE



HEALTHCARE



TRANSPORTATION & LEISURE

PRODUCT ADVANTAGES













NATURE FRIENDLY

QUALITATIVE

ABSORBING

RESISTANT

EASY TO USE



PRECAUTION OF USE



Do not wash





Whitening

authorised



Whitening prohibited





Tumble dry

Tumble dry prohibited



Ironing



Ironing prohibited



Special fragile surfaces



Prohibited on fragile surfaces



Must wear gloves











Do not bleach



Our mission is to help you **efficiently execute cleaning tasks** whilst reducing the impact on the environment.

Spontex Professional presents its **eco-friendly range designed for professionals**.

We believe that every bit counts !

SPONREX 100 & MERCURY 100

A sustainable bi-functional sponge which overturns professional market codes



while expecting efficiency and durability from Spontex Professional





QUALITY

Long lasting efficient scouring power, delivering time savings and cleaning efficiency

gether for a better planet!



MF PRO RECYCLED

Sustainable woven knitted microfibres for multi-usage applications with or without water & detergents



while delivering the expected Spontex Professional quality standards



QUALITY

• Ultra fast drying: wipes 2 x* faster than other microfibres in the market

- Good capacity of absorption
- Removes traces of grease



HEALTH & WELLNESS

• **Optimal disinfection:** removes **99%** of bacteria and can be used with Ethanol at 96%

- Available in 4 colours to help to avoid cross contamination
- Very good resistance to bleach (28g/l)
- Can be used in an autoclave at 121°C



OUR CLEANING TOOLS



SCOURING Sponges



SCOURING SPONGE MADE UP OF AN ABRASIVE CLOTH LAMINATED ON A CELLULOSIC SPONGE

A product adapted to the diversity of needs: several sizes, different degrees of abrasiveness. Biodegradable sponge part.



- Excellent absorption capacity: 20 times its dry weight
- Easy to rinse and clean



TYPE OF PRODUCT

Cellulose scouring sponge

COMPOSITION

Sponge part: Pigment*, plasticiser, water, cellulose Abrasive part: Latex, glue, synthetic fibres, abrasive charges



100% RECYCLED FIBRE 0% ADDED COLOURANT Made in France

SPONREX 100


Code : **95000116** Gencod UC **3384129501165**

Rectangular recycled scourer Dimensions : 128 x 84 x 26 mm Colour : white/brown Packaging : 10 pieces per bag 6 bags per carton

INSTRUCTIONS FOR USE

Rinse the sponge before its first use to eliminate the plasticiser. Rinse and wring out after use.

PRECAUTIONS FOR USE



			60 C Ig/I				
	SPONREX 31		Description	Dimensions	Colour	Packaging	
	Code : 95020031 Gencod UC 0697482000316		Rectangular soft scourer	130 x 84 x 28 mm	White/Pink	10 pieces per bag 6 bags per carton	
	SPONREX 79		Description	Dimensions	Colour	Packaging	
<u>}</u>	Code : 95020079 Gencod UC 0697482000798		Rectangular soft scourer	130 x 84 x 28 mm	White/Blue	10 pieces per bag 6 bags per carton	
$\mathbf{\nabla}$	SPONREX 52		Description	Dimensions	Colour	Packaging	Ľ.
	SMALL SPONGE ► Code : 95020052 Gencod UC 0697482000521		Small sponge	110 x 70 x 28 mm	Green/ Yellow	10 pieces per bag 6 bags per carton	
	SPONREX 74		Description	Dimensions	Colour	Packaging	
	LARGE SPONGE ► Code : 95020074 Gencod UC 0697482000743		Large sponge	130 x 84 x 28 mm	Green/ Yellow	10 pieces per bag 6 bags per carton	
ERG	ONOMIC FOR AN EASIER G	RIP					
$\mathbf{\nabla}$	SPONREX 33		Description	Dimensions	Colour	Packaging	
	► Code : 95020033 Gencod UC 0697482000330		Ergonomic scourer	150 x 80 x 28mm	Green/ Yellow	10 pieces per bag 6 bags per carton	
	SPONREX 92		Description	Dimensions	Colour	Packaging	
	Code : 95020092		Ergonomic scourer	150 x 80 x 28mm	Red/ Yellow	10 pieces per bag 6 bags per carton	

*except Sponrex 100

SCOURING Pads - Rolls



100% RECYCLED FIBRE 0% ADDED COLOURANT Made in Europe

NON-WOVEN WEB OF FIBRES RESIN-BONDED SYNTHETICS AND SPRAYED WITH ABRASIVE CHARGES.

Different types of scouring

- delicate
- general purpose

• Exclusive Spontex stop grease treatment which keeps scourers cleaner for longer



TYPE OF PRODUCT

Abrasive cloth

COMPOSITION

GENERAL SCOURING

Abrasive Fillers, Latex, Pigment*, Synthetic Fibres

INSTRUCTIONS FOR USE

Can be used in a wet environment for greater efficiency. Rinse before first use and after each use.




MERCURY ROLL 100

Code : 95020048

6000mm cut-to-size roll Dimensions : 150 x 6000 x 8 mm Colour : brown Packaging : 1 pieces per bag 10 bags per carton

PRECAUTIONS FOR USE



MERCURY 35	Description	Dimensions	Colour	Packaging
► Code : 95010035	3000mm Cut-to-size rolls	150 x 3000 x 7,5 mm	Green	1 piece per bag
Gencod UC 0697482000354	Cut-to-size rolls			6 bags per carton
MERCURY 24	Description	Dimensions	Colour	Packaging
► Code : 95010024	5000mm Cut-to-size rolls	150 x 5000 x 7,5 mm	Green	1 piece per bag 6 bags per carton
Gencod UC 0697482000248	Cut-to-size rolls			o bags per carton
MERCURY 96	Description	Dimensions	Colour	Packaging
► Code : 95010096	Small pad	120 x 150 x 7,5 mm	Green	20 piece per bag
Gencod UC 0697482000965				8 bags per carton
MERCURY 44	Description	Dimensions	Colour	Packaging
► Code : 95020044	Large format	150 x 225 x 7,5 mm	Green	10 piece per bag
Gencod UC 0697482000446	scourer			10 bags per carton
MERCURY PAD 100	Description	Dimensions	Colour	Packaging
► Code : 95020047	Large format	150 x 225 x 8 mm	Brown	10 piece per bag
Gencod UC 3384120200470	scourer			10 bags per carton

*except Mercury Roll & Pad 100

SCOURING Pads - Rolls - Balls



	DOES NOT RUST			
MERCURY 84	Description	Dimensions	Colour	Packaging
Code : 95080084	3000mm Cut-to-size rolls	150 x 3000 x 7,5 mm	Black	1 piece per bag 6 bags per carton
Gencod UC 0697482000842				o bags per carton

DELICATE SCOURING

Mercury

MERCURY 76	Description	Dimensions	Colour	Packaging
► Code : 95010076	Large pad	150 x 230 x 8 mm	White	10 pieces per bag
Gencod UC 0697482000767				8 bags per carton

Superinox

STAINLESS STEEL BALL MADE OF A TWISTED WIRE COILED IN A SPIRAL.

For difficult scouring of dishes and hard surfaces. Very good resistance. Will not scratch hard surfaces (stainless steel, glass).

5

• Very handy, cleans into those hard to reach areas

- High quality stainless steel
- Does not release particles
- 100% stainless



DOES NOT RUST

TYPE OF PRODUCT

Stainless steel ball

COMPOSITION

Stainless Steel



Grammage

40 grams

INSTRUCTIONS FOR USE

Can be used in a wet environment for greater efficiency. Rinse before first use. Rinse well after each use, spreading the threads apart.

SUPERINOX 27

Code : **95030027** Gencod UC **3384129501271**

SUPERINOX 50

Code : **95030050** Gencod UC **3384129501509**



Description
Large stainless steel scourer

Description

Small stainless

steel scourer

Grammage	Colour	Packaging
60 grams	Steel Grey	10 pieces per bag
		6 bags per carton

Steel Grey

10 pieces per bag

6 bags per carton

WASHING Sponges



CELLULOSE MADE FROM NATURAL MATERIALS. HIGH QUALITY CELLULOSE SPONGE, MADE FROM PLANT BASED INGREDIENTS SUCH AS WOOD PULP, FLAX & COTTON

Traditional sponge bordered with exclusive Spontex treatment for increased bleach resistance.

Complete range of sponges (dry, wet, compressed) to meet a wide variety of cleaning needs.

• High quality and good tear resistance

- Absorbs up to 20 times its dry weight
- Large porosities: optimal absorption and easy wringing



TYPE OF PRODUCT

Dry or wet cellulose sponge

COMPOSITION

Cellulose, pigment

INSTRUCTIONS FOR USE

Rinse the sponge before and after each use. Machine washable at 90°C with a liquid detergent. This operation can be carried out many times without damaging the intrinsic qualities of the product.

WET TRADITIONAL

AZELLA 93	Description	Dimensions	Colour	Packaging
Code : 95900093 Gencod UC 0697482000934	Wet traditional N°6	144 x 101 x 36 mm	Yellow	10 pieces/bag 8 bags/carton
AZELLA 09	 Description	Dimensions	Colour	Packaging

Code : 95030009

	Description	Dimensions	Colour	Packaging
-	Wet traditional N°8	159 x 120 x 40 mm	Yellow	10 pieces/bag 8 bags/carton

Gencod UC 0697482000095

OVER 90% EXTRA SPACE	WITH COMPRE	SSED SPONGE	S		
AZELLA 60		Description	Dimensions	Colour	Packaging
► Code : 95030060 Gencod UC 0697482000606		Compressed Tradition N°4	S : 115 x 31 x 5 mm H : 144 x 101 x 31 mm	Yellow	10 pieces/bag 24 bags/carton
AZELLA 23		Description	Dimensions	Colour	Packaging
► Code : 95030023 Gencod UC 0697482000231		Compressed Tradition N°6	S : 135 x 38 x 7 mm H : 159 x 120 x 38 mm	Yellow	10 pieces/bag 24 bags/carton

S: dry dimensions - H: wet dimensions

DID YOU KNOW?

Cellulose is 100% plant-based (wood pulp, linen and cotton) and 100% biodegradable.

PRECAUTIONS FOR USE

AZELLA 86

Code : 95900086 Gencod UC 0697482000866

Wet Tradition N°4

Cl

la/

Dimensions : 144 x 101 x 28 mm Colour : Yellow Packaging : 10 pieces/bag 8 bags/carton



WASHING Sponges



AZELLA 75

▶ Code : 95030075 Gencod UC 0697482000750

Heavy-duty wet sponge

Impregnated with a softening agent for storage damp Dimensions : 146 x 90 x 60 mm **Composition :** Pigment, Plasticiser, Water, Cellulose Colour : Brown Packaging : 5 pieces/bag 16 bags/carton



DRY TRADITION

AZELLA 40	Description	Dimensions	Colour	Packaging
► Code : 95030040	Dry Tradition N°2	S : 82 x 60 x 29 mm H : 107 x 86 x 29 mm	Yellow	10 pieces/bag 8 bags/carton
Gencod UC 0697482000408		H . 107 X 80 X 29 11111		o bags/carton

AZELLA 72	Description	Dimensions	Colour	Packaging
► Code : 95030072	Dry Tradition N°4	S : 110 x 74 x 29 mm	Yellow	10 pieces/bag
Gencod UC 0697482000729		H : 145 x 101 x 29 mm		8 bags/carton

AZELLA 25	Description	Dimensions	Colour	Packaging
► Code : 95030025	2 · · · · · · · · · · · · · · · · · · ·	S : 130 x 92 x 38 mm	Yellow	10 pieces/bag
Gencod UC 0697482000255		H : 160 x 123 x 38 mm		8 bags/carton

AZELLA 90

▶ Code : **95030090** Gencod UC 0697482000903

Description	Dimensions	Colour	Packaging
	S : 130 x 92 x 48 mm H : 160 x 123 x 48 mm	Yellow	10 pieces/bag 8 bags/carton

SMALL SPONGE		- NOT EDGED)		
AZELLA 82	A STATE	Description	Dimensions	Colour	Packaging
Code : 95030082	Sale of the second	Small yellow sponge	120 x 80 x 35 mm	Yellow	10 pieces/bag 18 bags/carton
Gencod UC 0697482000828		Composition : Pig	gment, Plasticiser, Wat	er, Cellulose	

S : dry dimensions - **H** : wet dimensions

ENVIRONMENTS FOR OUR WASHING PRODUCTS:











OFFICES & INSTITUTIONS HORECA

MANUFACTURE

CROSS CONTAMINATION & COLOUR-CODED SYSTEM



WHAT IS CROSS CONTAMINATION?

It is the act of moving bacteria or soils to areas that could be exposed to humans.

It could potentially harm the individuals involved in these areas.





In order to answer customers needs and continue implementing best practices, Mapa Spontex Professional is offering colourcoded cleaning tools.



Colour-coded cleaning tools help to increase operator productivity and deliver comfort, whilst avoiding cross contaminating areas and limiting the spread of germs and bacteria between areas. This also quickly and easily ensures that the right cleaning tool is used in the right environment, while helping distinguish critical areas and HACCP control points.



COLOUR IS THE MOST EFFECTIVE WAY TO PREVENT CROSS CONTAMINATION

Mapa Spontex Professional recommends* the following colour coding system:



*Recommended colour system can change by business area and application as defined by BICS organisation

WHAT IS MICROFIBRE?

Coton only repels dust and liquids, leaving surfaces damp and dirty





Microfibre catches and holds dust, leaving surfaces clean, dry and polished.

WHAT ARE THE USES FOR SPONTEX PROFESSIONAL MICROFIBRES?

Wet use	Dry use
Wipe • Absorb	Dust
Degrease • Remove stains	Remove fingerprint smudges

SPONTEX PROFESSIONAL MICROFIBRES REMOVE 99% OF BACTERIA

For optimal use of microfibres and to reduce the risk of cross-contamination during the cleaning process, Mapa Spontex Professional recommends that you follow the steps below:



Fold the microfibre in 4



Use both sides to clean the surface



Open the microfibre and fold it to clean with the unused sides

Use all **8 sides** and keep track of which sides have been used to avoid crosscontamination

HOW SHOULD THEY BE MAINTAINED?





- Spontex Professional microfibres have excellent durability and can be machine washed up to 500 cycles at 60°C
- Also washable in an autoclave at 121°C
- Do not wash with softeners

WIPING Nonwoven - Microfibres

MF Pro Recycled

RECYCLED MICROFIBRES, IDEAL FOR ALL TYPES OF SURFACES

Colour coded woven cloths preventing cross-contamination

- Removes 99% of bacteria and leaves no residue
- Ultra-fast wiping and good absorption capacity (400%)
 - Excellent durability: up to 500 washing cycles at 60°C
 - Can be used with 96% Ethanol & 28g/l bleach
 - Can be used in an AutoClave at 121°C for 15 minutes







COMPOSITION

Colour coded microfibres

85% Polyamide, 15% Polyester

INSTRUCTIONS FOR USE

A preliminary spin helps cleaning



PRECAUTIONS FOR USE



MF Pro Multiclean

COLOUR CODED MICROFIBRES WOVEN CLOTHS FOR ALL TYPES OF SURFACES

Colour coded woven cloths preventing cross-contamination



- Removes 99% of bacteria
- Very good resistance to bleach (28,5g/l)
- High resistance to Alcohol (Ethanol 99%)
- High durability (up to 500 washing cycles at 60°C)
- Washable in autoclave at 121°C



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
	95000119	3384129501196			Red	
MF PRO RECYCLED	95000120	3384129501202	Microfibres 300 g/m ²	380x400 mm	Yellow	5 pieces/bag 24 bags/carton 120 pieces/carton
MF PRO RECYCLED	95000118	3384120001183			Green	
	95000117	3384129501172			Blue	
	95000113	3384120001138			Red	
MF PRO MULTICLEAN	95000112	3384121218092	Microfibres	380x400 mm	Yellow	5 pieces/bag
ME PRO MULTICLEAN	95000114	3384121218115	250 g/m ²		Green	24 bags/carton 120 pieces/carton
	95000115	3384121218108			Blue	

WIPING Nonwoven - Microfibres

Stellair

NON-WOVEN OF SYNTHETIC FIBRES LATEX-BONDED AND WATER-JET BONDED.

Flexible and strong. Optimal rinsing. Long service life. Colour coded by location of use.

The openwork textures facilitates improved recovery of dirt and allows for easy rinsing. Our testing shows that Solonet & Stellair cloths are safe to be used with alcohols and bleach.

TYPE OF PRODUCT

COMPOSITION

Open structured non-woven cloths

Polyester, Viscose, Pigment


INSTRUCTIONS FOR USE

Damp use for routine and long-term cleaning of surfaces. Rinse before first use. Rinse and wring out after each use.









Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
STELLAIR 1008	95061008	0697480010089	Open structured non-woven cloths 80g/m²		Green	
STELLAIR 1081	95061081	0697480010812			Yellow	
STELLAIR 1172	95061172	0697480011727		51 x 36 cm	White	25 pieces per bag 6 bags per carton
STELLAIR 1213	95061213	0697480012137			Pink	o bags per carton
STELLAIR 1361	95061361	0697480013615			Blue	

Solonet

MULTIPLE WORKING APPLICATIONS APPROPRIATE FOR DELICATE SURFACES

- Dishcloth suitable for one-day use (short use)
 Excellent absorption: >600% dry weight
- Colour coding available to limit the risk of cross-contamination

TYPE OF PRODUCT COMPOSITION

INSTRUCTIONS FOR USE

Resin bonded non-woven 35 g/m²

Viscose, Polyester



PRECAUTIONS FOR USE



Use wet for normal and long term cleaning of surfaces. Rinse the product before the first use. Rinse and wring after each use

Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
SOLONET 1001	95021001	0697482010018	500 cloths, non-woven roll, 45g/m²	37x27cm	Blue	2 rolls per pack
SOLONET 1436 SOLONET 1235 SOLONET 1133 SOLONET 1264	95021436 95021235 95021133 95021264	0697482014368 0697482012357 0697482011336 0697482012647	Non-woven cloths 35g/m²	28x58cm	Yellow Pink Green Blue	50 pieces per bag 20 bags per carton

WIPING Sponge - Cloths - Rolls



CELLULOSIC SPONGE CLOTH MADE FROM WOOD PULP AND REINFORCED WITH A TEXTILE WEAVE.

Excellent absorption and resistance capacity due to cellulose material and textile weave. Colour-coded by location of use. Available in various sizes.

• Easy to handle

- High wiping efficiency: fine porosity
- Absorbs up to 13 times its dry weight

TYPE OF PRODUCT COMPOSITION

Sponge cloth

Cellulose, Water, Fungicide, Pigment, Plasticiser

INSTRUCTIONS FOR USE

Rinse before using for the first time. Rinse and wring out after use. Preliminary wringing improves wiping ability.

PRECAUTIONS FOR USE

in Europe



Product Name	Ref.	Gencod UC	Description	Dimensions	Colour	Packaging
SPONGYL 57	95010057	0697482000576			Yellow	
SPONGYL 26	95010026	3384120125629	Sponge square	20,6 x 18,5 cm -	Pink	10 pieces per bag
SPONGYL 87	95010087	0697482000873	small model	5,8 mm	Blue	12 bags per carton
SPONGYL 51	95010051	0697482000514			Green	

Cellulosic sponge roll absorption mat. For draining dishes and utensils. Acoustic insulation in kitchens. Can be used for spillages on floors.





Ψį

HORECA



MANUFACTURE



HEALTHCARE



& LEISURE

OFFICES & INSTITUTIONS



FLOORS Non-woven gauzes

Planet

FLAT GAUZE NON-WOVEN FIBRE FLEECE SYNTHETIC FLOOR CARE PRODUCTS

Suitable for small, medium and large surfaces. Hospital grade.

Best dust retention rate on the market Efficiency and hygiene



TYPE OF PRODUCT

Non-woven gauze

COMPOSITION

Polypropylene, food-grade paraffin oil

INSTRUCTIONS FOR USE

Ready to use. Optimal use of one gauze per area: avoids cross-contamination. Easy attachment to a flat brush up to 60cm in length. Discard the product after use. Not to be used with water or chemical liquids.

THE IMPREGNATES ____

These gauzes are impregnated with paraffin and are ready to use.

SMALL SURFACES PLANET PLUS 14 Description



PLANET PLUS 95

▶ Code : **95010095**

Gencod UC 0697482000958

Impregnated

gauze 20g/m²

 SMALL SURFACES			
Description	Dimensions	Colour	Packaging
 Impregnated	60 x 20 cm	Pink	50 pieces per bag
gauze 20g/m²			20 bags per carton

60 x 24 cm

60 x 30 cm

MEDIUM AND LARGE SURFACES

PLANET PLUS 55	Description	Dimensions	Colour	Packaging
Code : 95020055	Impregnated gauze 38g/m ²	60 x 30 cm	Yellow	50 pieces per bag 10 bags per carton

THE NON IMPREGNATED ONES

These gauzes can be used dry or in

PLANET 73

Code : 95020073 Gencod UC 0697482000736

Non-Impregnated

gauze 18g/m²

mpregnated with a o	dust removal produ
SMALL SURFACES	
Description	Dimensions

gnated with a dust removal product.							
Description	Dimensions	Colour	Packaging				

White



PLANET PLUS 67

▶ Code : 95020067 Gencod UC 0697482000675

Impregnated gauze 20g/m² Dimensions : 60 x 30 cm Colour : Pink Packaging : 50 pieces per bag 20 bags per carton

PRECAUTIONS FOR USE



Colour

Pink

DID YOU KNOW?

The impregnation rate of Planet Spontex Professional is 32%.

Packaging

50 pieces per bag

20 bags per carton

50 pieces per bag

20 bags per carton

	1	7



OUR PROTECTIVE GLOVES



EUROPEAN LEGISLATION AND STANDARDS

Regulations 2016

Why is PPE regulated?

All professional gloves are personal protective equipment and must comply with European standard 2016/425. The purpose of these regulations is to guarantee a safe working environment for the user of the PPE along with public health. This means that PPE must provide the level of protection required without compromising the user's health. To meet this requirement, PPE are defined by a harmonised European standard. This governs the degree of protection of the PPE along with the comfort and satisfaction of the user. It also ensures that the PPE can circulate freely within the European Union without reducing the level of protection required due to unfair competition.

Regulation 2016/425

This regulation was implemented on 21 April 2018. Directive 89/686 was cancelled from this date. It relates to all citizens of the EU. It does not need to be transposed into national law and so is the same in all countries of the European Union.

DIRECTIVE 89/686 REPLACED **BY REGULATION 2016/425**

Main differences:

European Directives regarding personal protective equipment lay down the requirements that the equipment and their users must satisfy. The standards are used to draw up technical specifications that meet these new requirements. Directive 89/656/EEC (use) lays down the requirements that employers must meet with regard to the supply and use of PPE by their employees.

Directive (EU) 2016/425 stipulates the essential requirements for marketing protective gloves within the European Union.

The whole Mapa Professional range is certified as compliant with these criteria and carries the CE marking.

CERTIFICATION CATEGORIES CE

– CAT 1 –

The manufacturer is responsible for the conformity of their products with respect to the essential requirements of the directive.


— CAT 2 — Certificate of conformity obtained from a notified body.

– CAT 3 -Certificate of conformity and regular production inspections on the manufacturer's premises by the notified bodies.



ow to read the standards?

The following pictograms, defined according to European standards, can help you understand the performance characteristics of a glove:



RISK

Combination between contact time and the aggressiveness of the chemical being handled. Choose the performances of your gloves based on the type of risk:

👗 splashes

Chemical substances diluted by immersion or splashes of aggressive substances

Frequent contact Pure or mixed chemical substances in frequent contact


APure or mixed chemical substances in frequent contact

WEAR TIME

Identifies the comfort level required by the operator the longer the wear time, the more comfortable the glove needs to be (perspiration, flexibility/fatigue).

- 🍈 short wear Chlorinated interior finish
- ٢ intermittent wear Flocked interior finish
- continuous wear Ō
 - Fabric-lined interior finish
- ultra-confort wear ٠
- Mapa exclusive technology providing greater flexibility

TEMPERATURE





CONTACT TIME

(short contact prolonged contact

LIGHT DUTY PROTECTION Cleaning & Maintenance

LOW AGGRESSIVE ENVIRONMENTS - SHORT WEAR

Vital

PROTECTIVE LATEX GLOVE

- Excellent dexterity from the suppleness of natural latex
- Good resistance
- Comfortable cotton flock-lining

MATERIAL

Natural latex

INSTRUCTIONS FOR USE









DID YOU KNOW?

The Vital 115 / 117 / 124 /

185 / 186 have passed the ISO 16604: 2004 test

(Method B) allowing to

claim a protection against

viruses.



Ultranitril 454

EN 421

8

HYPOALLERGENIC MAINTENANCE GLOVE

• Outstanding precision dexterity, due to the qualities of MAPA's unique synthetic material

EN ISO

374-5:2016

68

VIRUS

- · Good handling of slippery objects, due to the embossed texture
- Optimal comfort: anatomical shape



Vital 124 Vital 185	30,5	0.35	5 Straight Yel sleeve Re		Flocked	Embossed texture	6 7 8 9 10	100 pairs/carton
Vital 186				Green				
Ultranitril 454	31	0.35	Straight sleeve	Turquoise	Flocked	Embossed texture	6789 10	50 pairs/carton

LIGHT DUTY PROTECTION Cleaning & Maintenance



HANDLING PROTECTION Maintenance of Parks and Public Spaces & Waste Collection

GREEN SPACE HANDLING

Harpon 330 HEAVY DUTY HANDLING GLOVE Comfort, reinforced safety and excellent grip in wet environments Exceptionally comfortable textile support (no seams on the working surfaces) Excellent flexibility of natural latex Good thermal insulation of the hand MATERIAL Natural latex. Guaranteed silicone-free. Guaranteed DMF free. EN407:2016 EN388:2016 **STANDARDS INSTRUCTIONS FOR USE** ۲ **Wet** environments Long service life Category 2 3131X X1XXXX Product Packaging Finish Knitted 25 - 27 Harpon 330 Green Textile support Anti-slip texture 6789 50 pairs/carton cuff **OUTDOOR & COLD ROOM HANDLING** Templce 700 REINFORCED DURABILITY IN COLD ENVIRONMENT Suitable for frozen, dry and some fatty foods use* Grip & Proof technology ensures excellent grip and a seal when handling wet environments that reduces muscle fatigue and increases productivity Insulating and water-repellent textile support: your hands remain dry when working in a damp environment Seamless: maximum comfort and flexibility • Washable up to 5 washing cycles (see washing and drying conditions) *according to the French law of November 9th, 1994 and to the European Directive CEE 1935/2004 **GRIP** & **PROOF** MATERIAL TECHNOLOGY Nitrile GRIP&PROOF coating. Gauge 15 EN388:2016 EN511 **STANDARDS INSTRUCTIONS FOR USE** Suitable for frozen, dry ÷ (₩) and some fatty foods use according to the French law X Wet environments Long life performance Category 2 of November 9th 1994 and 3222X to the Europear CEE 1935/2004 an Directive - 10°C Product Finish Finish Knitted Black / Seamless 3/4 Nitrile Templce 700 24 - 27 78910 72 pairs/carton cuff Blue knitted lining coating

HANDLING PROTECTION Technical interventions

PRECISION WORK

Ultrane 641

PROTECTIVE GLOVE, TOUCH SCREEN COMPATIBLE

- Comfort: high suppleness and flexibility, dexterity at fingertips
- Durable : extended use guaranteed by our exclusive process RESICOMFORT

OEKO-TEX®

STANDARD 100 CQ 979/2 IFTH

Tested for harmful sub www.oeko-tex.com/stan

- · Breathability, flexibility and proven durability of the coating
- Compatible with touch screens and devices
- Washable: 1 time at 40°C

MATERIAL

Nitrile foam sandy

INSTRUCTIONS FOR USE

X Environment dry and relatively clean

High-performance service life





XIXXXX

▶ Ultrane 548

LIGHT PROTECTIVE GLOVE

- Thin glove: good dexterity
 - Absorption of perspiration ensured by the cellular structure of the polyurethane In addition, the specific open texture of the lining helps improve hand ventilation

EN388:2016

(프)

3121Y

Anatomical shape: precision edging

MATERIAL

Polyurethane foam. Guaranteed silicone free. Gauge 13.

INSTRUCTIONS FOR USE

Environment dry and relatively clean
 Short service life

Short service life

STANDARDS Category 2



Ultrane 551

RESICOMFORT

TECHNOLOGY

GLOVE FOR PRECISION WORK

- Excellent abrasion resistance : superior durability
 - Thin glove: good dexterity
 - · Added comfort due to the seamless knit
 - Perspiration evacuation is ensured by the cellular structure of the polyurethane

MATERIAL

Polyurethane foam. Gauge 13.



INSTRUCTIONS FOR USE

Environment dry and relatively clean
 Long service life

STANDARDS

Category 2



FN388-2016

Product Name	Length (cm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Ultrane 641	22 - 27		Black				96 pairs/carton
Ultrane 548	22 - 28	Knitted cuff	Black	Seamless textile support	Ventilated back	6 7 8 9 10 11	96 pairs/carton
Ultrane 551	21 - 27		Grey				100 pairs/carton

CUT PROTECTION Technical interventions

PRECISION WORK

KryTech 615

HIGH CUT PROTECTION GLOVE, TOUCH SCREEN COMPATIBLE

High cut protection without any compromise on comfort and dexterity

- Very good fit, good dexterity and flexibility
- Washable: 3 times at 60°C

MATERIAL

Polyurethane. Gauge 13.

STANDARDS Category 2

4X43D ISO 13997: 20 N

7: 20 N Toctile

EN388:2016

Ŀ

4343B ISO 13997: 5.3 N

CONFIDENCE IN TEXTILES STANDARD 100 CQ 979/2 IFTH Tested for harmful substances. www.web.#wc.om/standard/00

INSTRUCTIONS FOR USE

Ø Environment dry and relatively clean

Long service life



KryTech 557

GLOVE WITH MODERATE PROTECTION AGAINST CUTTING



- Excellent dexterity: anatomical shape
- Ergonomic design reduces muscle fatigue
- Nitrile crotch reinforcement for an improved durability for the most exposed areas

MATERIAL

Polyurethane. Gauge 13.

INSTRUCTIONS FOR USE

Denvironment dry and relatively clean Category 2

Long service life

Low risk - ISO B

Product Name	Length (cm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
KryTech 615	23 - 30	Knitted	Black / Grey	Seamless textile support from	Ventilated	678	48 pairs/carton
KryTech 557	22 - 27	cuff	Grey	HDPE fibres	back	9 10 11	50 pairs/carton

STANDARDS



APA 615

PROTECTION FOOD EXPERT Food and Catering Industry

THERMAL PROTECTION AGAINST HOT



PROTECTION FOOD EXPERT Food and Catering Industry

LIQUIDPROOF PROTECTION



Ultranitril 472

PRECISION GLOVE FOR FOOD HANDLING

- Ease of movement and excellent sensitivity thanks to the thinness of the glove
 - Chlorinated finish for better protection of products being handled
 - Can be worn alone or as an overglove
 - Suitable for contact with all types of food
 - Recommended for people with sensitized to proteins of natural latex

Ultranitril 475

RESISTANT GLOVE FOR FOOD HANDLING

- Excellent dexterity due to the suppleness of the glove
 - Good grip thanks to the embossed exterior finish
 - Can be worn alone or as an overglove
 - Suitable for contact with all types of food

INSTRUCTIONS FOR USE

 Recommended for people with sensitized to proteins of natural latex 475

INSTRUCTIONS FOR USE



Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Ultranitril 472	31	0.20	Straight		Chlorinated	Pebbled	6 7 8 9 10	100 pairs/carton
Ultranitril 475	31	0.34	sleeve	Blue	Flocked	Embossed texture		72 pairs/carton

VARIOUS PROTECTIONS Kitchen

DISPOSABLE PROTECTION

Solo 967 DISPOSABLE GLOVE FOR LIGHT HANDLING FOOD Excellent dexterity thanks to the flexibility and thinness of the material Can be worn alone or as an overglove Available in boxes and bags MATERIAL Nitrile EN ISO 374-1:2016 TYPE C EN ISO **STANDARDS** 374-5:2016 B Not suitable for handling food with a pH below 4.5 Category 3 VIRUS Internal Finish External Finish Length Packaging (cm) 10 boxes of 100 gloves/carton 67 Rolled Solo 967 24,5 0.08 Blue Chlorinated Pebbled or cuff 89 10 bags of 100 gloves/carton **CHEMICAL PROTECTION** Ultranitril 480 **DISH-WASHING GLOVE - ULTRA LONG PROTECTION** Optimised durability: excellent resistance to abrasion and puncture resistance Very good protection during intensive handling of high-risk chemicals

- Good grip on slippery objects, due to the embossed texture
- Protection of the forearm thanks to long cuff of 46 cm

MATERIAL **INSTRUCTIONS FOR USE**

Nitrile

Prolonged contact () Short wear

EN388:2016 **STANDARDS** ł Category 3 4102X







P	Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
U	Iltranitril 480	46	0.55	Straight sleeve	Green	Chlorinated	Embossed texture	789 10	12 pairs/carton

For more information

www.mapa-pro.com www.spontex-pro.com



And of course all our news, downloadable documents, a technical glossary and FAQ section...

Selection guides for each segment to help you choose the right glove

- An advanced search engine to find a product based on your own criteria, with a database continuously updated
- A tool to help you locate your nearest Mapa Professional distributor



Find all our documentation on your smartphone !



Edition 09/2021 - Création CMM.fr

Description Control of the series durablement et des sources contrôléles. pefo-france.org

To contact us

mkgpro.spontex@newellco.com

MAPA PROFESSIONAL Défense Ouest 420 rue d'Estienne d'Orves 92705 COLOMBES Cedex Tél : 01 49 64 22 00 • Fax : 01 49 64 24 29